Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Discrete Mathematics 286 (2004) 291–293
DISCRETE MATHEMATICS
www.elsevier.com/locate/disc

Author index to volume 286

Abderrezzak, M.E.K. and E. Flandrin, New sufficient conditions for bipancyclic bipartite graphs (1–2) 5– 13

Balbuena, C. and P. García-Vázquez, Edge-connectivity in P_k-path graphs (3) 213–218
Balińska, K.T., S.K. Simić and K.T. Zwierzyński, Which non-regular bipartite integral graphs with maximum degree four do not have ± 1 as eigenvalues? (1–2) 15– 24
Boland, J., F. Buckley and M. Miller, Eccentric digraphs (1–2) 25– 29
Borowiecka-Olszewska, M., E. Drgas-Burchardt and P. Mihók, Minimal vertex Ramsey graphs and minimal forbidden subgraphs (1–2) 31– 36
Borowiecki, M.x., M. Hałuszczak and E. Sidorowicz, On Ramsey minimal graphs (1–2) 37– 43
Buckley, F., see J. Boland (1–2) 25– 29

Čada, R., T. Kaiser, M. Rosenfeld and Z. Ryjáček, Hamiltonian decompositions of prisms over cubic graphs (1–2) 45– 56
Changat, M. and J. Mathew, Induced path transit function, monotone and Peano axioms (3) 185–194
Czygrinow, A. and B. Nagle, Strong edge colorings of uniform graphs (3) 219–223

Daskalov, R. and E. Metodieva, The nonexistence of ternary [105,6,68] and [230,6,152] codes (3) 225–232
Drgas-Burchardt, E., see M. Borowiecka-Olszewska (1–2) 31– 36

El Haddad, M., Y. Manoussakis and R. Saad, Upper bounds for the forwarding indices of communication networks (3) 233–240
Elzinga, R.J., D.A. Gregory and K.N.V. Meulen, Addressing the Petersen graph (3) 241–244

Faudree, R.J., R.J. Gould, M.S. Jacobson, L. Lesniak and A. Saito, Toughness, degrees and 2-factors (3) 245–249
Flandrin, E., H. Li, A. Marczyk and M. Woźniak, A note on pancyclism of highly connected graphs (1–2) 57– 60
Flandrin, E., see M.E.K. Abderrezzak (1–2) 5– 13
Fletcher, R.J., C. Koukouvinos and J. Seberry, New skew-Hadamard matrices of order $4 \cdot 59$ and new D-optimal designs of order $2 \cdot 59$ (3) 251–253

García-Vázquez, P., see C. Balbuena (3) 213–218
Gerlach, T., Toughness and Hamiltonicity of a class of planar graphs (1–2) 61– 65
Goddard, W., T.W. Haynes, M.A. Henning and L.C. van der Merwe, The diameter of total domination vertex critical graphs (3) 255–261
Göring, F., J. Harant, E. Hexel and Z. Tuza, On short cycles through prescribed vertices of a graph (1–2) 67– 74
Görlich, A., M. Pilśniak, M. Woźniak and I.A. Zioło, A note on embedding graphs without short cycles (1–2) 75– 77
Górska, J., Z.x. Skupień, Z. Majcher and J. Michael, A smallest irregular oriented graph containing a given diregular one (1–2) 79– 88
Gould, R.J., see R.J. Faudree (3) 245–249
Gregory, D.A., see R.J. Elzinga (3) 241–244

Hackmann, A. and A. Kemnitz, The circular chromatic index (1–2) 89– 93
Hałuszczak, M., see M.x. Borowiecki (1–2) 37– 43
Harant, J., On paths and cycles through specified vertices (1–2) 95– 98
Harant, J., see F. Göring (1–2) 67– 74
Haynes, T.W., M.A. Henning and L. Hopkins, Total domination subdivision numbers of trees (3) 195–202

0012-365X/04/$ - see front matter
doi:10.1016/S0012-365X(04)00345-0

Haynes, T.W., see W. Goddard (3) 255–261
Henning, M.A. and J.E. Maritz, Stratification and domination in graphs II (3) 203–211
Henning, M.A., see T.W. Haynes (3) 195–202
Henning, M.A., see W. Goddard (3) 255–261
Hexel, E., see F. Göring (1–2) 67– 74
Hopkins, L., see T.W. Haynes (3) 195–202
Horňák, M. and S. Jendrol', Preface (1–2) 1– 1

Jacobson, M.S., see R.J. Faudree (3) 245–249
Jendrol', S., see M. Horňák (1–2) 1– 1

Kaiser, T., see R. Čada (1–2) 45– 56
Kemnitz, A., see A. Hackmann (1–2) 89– 93
Koukouvinos, C., see R.J. Fletcher (3) 251–253
Král', D., J. Kratochvíl and H.-J. Voss, Mixed hypercacti (1–2) 99–113
Kratochvíl, J., see D. Král' (1–2) 99–113

Lesniak, L., see R.J. Faudree (3) 245–249
Li, H., see E. Flandrin (1–2) 57– 60

Madaras, T. and R. Škrekovski, Heavy paths, light stars, and big melons (1–2) 115–131
Mahlburg, K., The overpartition function modulo small powers of 2 (3) 263–267
Majcher, Z., see J. Górska (1–2) 79– 88
Manoussakis, Y., see M. El Haddad (3) 233–240
Marczyk, A., On the structure of the set of cycle lengths in a hamiltonian graph (1–2) 133–140
Marczyk, A., see E. Flandrin (1–2) 57– 60
Maritz, J.E., see M.A. Henning (3) 203–211
Mathew, J., see M. Changat (3) 185–194
Metodieva, E., see R. Daskalov (3) 225–232
Meulen, K.N.V., see R.J. Elzinga (3) 241–244
Michael, J., see J. Górska (1–2) 79– 88
Michalak, D., Domination, independence and irredundance with respect to additive induced-hereditary properties (1–2) 141–146
Mihók, P. and I. Schiermeyer, Cycle lengths and chromatic number of graphs (1–2) 147–149
Mihók, P., see M. Borowiecka-Olszewska (1–2) 31– 36
Miller, M., see J. Boland (1–2) 25– 29

Nagle, B., see A. Czygrinow (3) 219–223
Natarajan, R., A bijection between certain non-crossing partitions and sequences (3) 269–275
Nebeský, L., Intervals and steps in a connected graph (1–2) 151–156

Pilśniak, M., see A. Görlich (1–2) 75– 77

Quistorff, J., Slight improvements of the Singleton bound (3) 277–283

Rosenfeld, M., see R. Čada (1–2) 45– 56
Ryjáček, Z., see R. Čada (1–2) 45– 56

Saad, R., see M. El Haddad (3) 233–240
Saito, A., see R.J. Faudree (3) 245–249
Schiermeyer, I., Rainbow numbers for matchings and complete graphs (1–2) 157–162
Schiermeyer, I., see P. Mihók (1–2) 147–149
Seberry, J., see R.J. Fletcher (3) 251–253
Semanišin, G., Minimal reducible bounds for induced-hereditary properties (1–2) 163–170

Sidorowicz, E., see M.x. Borowiecki (1–2) 37– 43
Simić, S.K., see K.T. Balińska (1–2) 15– 24
Sinclair, P.A., Upon the removal of the edges of a 1-factor from an even circuit in a 2-connected graph (3) 171–175
Sinclair, P.A., On removable even circuits in graphs (3) 177–184
Škrekovski, R., see T. Madaras (1–2) 115–131
Skupień, Z.x., see J. Górska (1–2) 79– 88

Tian, F., A short proof of Fan's theorem (3) 285–286
Tuza, Z., see F. Göring (1–2) 67– 74

van der Merwe, L.C., see W. Goddard (3) 255–261
Voss, H.-J., see D. Král' (1–2) 99–113

Woźniak, M., see A. Görlich (1–2) 75– 77
Woźniak, M., see E. Flandrin (1–2) 57– 60

Zannetti, M., $q^2 + q + 1$-caps of class $[0, 1, 2, 3, q + 1]_2$ and type $(1, m, n)_4$ of PG(5, q) are quadric Veroneseans (3) 287–290
Zioło, I.A., see A. Görlich (1–2) 75– 77
Zwierzyński, K.T., see K.T. Balińska (1–2) 15– 24